

EKKO[®]

MATERIAL HANDLING EQUIPMENT

**MOVING
AHEAD**



www.ekkolifts.com

EK20GS
4 Wheel Electric Forklift

Load Capacity: 4,500 lbs.
Lift Height: 189"
Side-Shift, Free Lift
Tilt, 4 Levers,
ZAPI Controller
AC Drive Motor
48V/600Ah Charger.
3-Phase 480V Charger
(Optional 220V)



EK25GB
4 Wheel Electric Forklift

Load Capacity: 5,000 lbs.
Lift Height: 189-212"
Side-Shift, Free Lift
Tilt, 4 Levers,
ZAPI Controller
AC Drive Motor
48V/600Ah Charger
3-Phase 480V Charger
(Optional 220V)



EK16A-138 / EK16A-177
3 Wheel Electric Forklift

Load Capacity: 3,500 lbs.
Lift Height: 138-177"
Side-Shift, Free Lift
Tilt, Hydraulic Power Steering
Zapi Controller
German AC Motor
24V/320 Ah Battery
24V/50A Charger



EK18RF / EK18RFL
Stand-Up Rider Forklift

Load Capacity: 4,000 lbs.
Lift Height: 189-216"
Side-Shift, Free Lift
Tilt, EPS
Curtis Controller
German AC Motor
48V/420Ah Battery
3-Phase 480V Charger



EK18RR / EK18RRL
Stand-Up Rider Reach

Load Capacity: 4,000 lbs.
Lift Height: 196-275"
Side-Shift, Free Lift
Tilt, EPS,
Curtis Controller
German AC Motor
48V/420Ah Battery
3-Phase 480V Charger



EOP68 / EOP70
Stand-Up Rider Reach

Load Capacity: 2,200 lbs.
Lift Height: 177-196"
Auxiliary Forks
EPS, Curtis Controller
German AC Motor
24V/350Ah Battery
3-Phase 480V Charger



EH15TH / EH15T
Moving Mast Reach

Load Capacity: 3,300 lbs.
Lift Height: 138-216"
Free Lift, Tilt, EPS
Curtis Controller
German AC Motor
24V-270Ah



EK14S-130 / EK13S-177
Counterbalanced Stacker

Load Capacity: 2,860-3,300 lbs.
Lift Height: 118-177"
Side-Shift, Free Lift, Tilt,
EPS, Curtis Controller
German AC Motor
24V-210Ah Battery



EK14 / EK14-130 / EK14-138
Counterbalanced Stacker

Load Capacity: 3,300 lbs.
Lift Height: 118-138"
Free Lift, Tilt,
EPS, Curtis Controller
German AC Motor
24V-210Ah Battery



EK07S
Counterbalanced Stacker

Load Capacity: 1,550 lbs.
Lift Height: 118"
Free Lift, Tilt,
Curtis Controller
750W Drive Motor
24V-120Ah Battery



EK14C-130
Counterbalanced Stacker

Load Capacity: 3,000 lbs.
Lift Height: 130", Tilt,
EPS, Curtis Controller
German AC Motor
24V-210Ah Battery



EB16EA
Walkie Straddle Stacker

Load Capacity: 4,400 lbs.
Lift Height: 216"
76.25 Free Lift,
Tilt, EPS, Curtis Controller
3000W German AC Motor
24V-210Ah Battery



EA15A / EA15A-138
Semi-Electric Walkie Straddle Stacker

Load Capacity: 3,300 lbs.
 Lift Height: 118-138"
 Power Lifting
 Manual Drive
 12V/120Ah Battery
 Internal Charger



EB13C-118 / EB13C-138
Walkie Straddle Stacker

Load Capacity: 2,800 lbs.
 Lift Height: 118-138"
 Curtis Instrument Controller
 DC Drive Motor
 24V/85Ah Battery
 Internal Charger



EB13CD
Fork Over Stacker

Load Capacity: 2,800 lbs.
 Lift Height: 118"
 Fork Length 45.28"
 24V Lift Motor
 24V/85Ah Battery




EB14C / EB14C-138
Walkie Straddle Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 118-138"
 Dual Damping Drive System
 Curtis Controller
 Center Drive Motor,
 Internal Charger
 24V/85Ah Battery



EB12EA
Walkie Straddle Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 145"
 Curtis Controller
 1500W ZF AC Drive Motor,
 24V/100Ah Battery
 Internal Charger



EB13E / EB13E-138
Walkie Straddle Stacker

Load Capacity: 2,800 lbs.
 Lift Height: 119-138"
 Curtis Controller
 Center Drive Motor,
 Internal Charger
 24V/100Ah Battery



EB20E / EB18E
Walkie Straddle Stacker

Load Capacity: 4,000-4,400 lbs.
 Lift Height: 138-177"
 Curtis Controller
 750W AC Drive Motor,
 External Charger,
 24V/160-210Ah Battery



EB12E / EB12E-138
Walkie Straddle Stacker

Load Capacity: 2,640 lbs.
 Lift Height: 119-138"
 Curtis Controller
 750W Drive Motor,
 Internal Charger
 24V/100Ah Battery



EA15B / EA15D
Semi-Electric Straddle Stacker

Load Capacity: 3,300 lbs.
 Lift Height: 119-138"
 Power Lift,
 Manual Drive,
 Internal Charger
 12V/120Ah Battery



EA15C / EA15E
Fork Over Stacker

Load Capacity: 3300 lbs.
 Lift Height: 119-138"
 Forks over straddle legs,
 Power Lift,
 Manual Drive,
 Internal Charger
 12V/120Ah Battery



EOPS20-130 / EOPS20-157 / EOPS20-177
Semi-Electric Order Picker

Load Capacity: 440 lbs.
 Lift Height: 130-177"
 Safety Brackets
 Emergency Stop/Down Button
 Internal Charger
 12V/120Ah Battery



ES40E / ES60E / ES80E ES100E / ES120E
Scissor Lift

Load Capacity: 500-990 lbs.
 Raised Height: 13ft-19ft,
 Lowered Height: 86-102.36"
 Guardrail,
 Extendable Platform



EPC30A
Center Controlled
Pallet Jack

Load Capacity: 5,000 lbs.
 27x45" Forks
 Lowered Height: 3.3"
 Raised Height: 7.88"
 Curtis Controller,
 German AC Motor,
 24V/360Ah Battery



EP30A
Rider Pallet Jack

Load Capacity: 6,600 lbs.
 27x45" Forks
 Lowered Height: 3.3"
 Raised Height: 7.88"
 Curtis Controller,
 German AC Motor,
 24V/280Ah Battery



EP20E / EP25E
Rider Pallet Jack

Load Capacity: 4,400-5,500 lbs.
 27x45" Forks
 Lowered Height: 3.3"
 Raised Height: 7.9"
 Curtis Controller,
 German AC Motor,
 24V/160-240Ah Battery



EG30
Electric Tow Tractor

Load Capacity: 10,000 lbs.
 Electric Power Steering,
 Curtis Controller,
 German AC Motor,
 24V/210Ah Battery



A25W
Manual Pallet Jack w/Scale

Load Capacity: 5,500 lbs.
 Built In Scale
 Fork Size 27x45"
 Lowered Height: 3.2"
 Raised Height: 7.6"
 German Seal Pumps,
 Polyurethane Wheels



A25WL
Manual Pallet Jack w/Scale & Printer

Load Capacity: 5,500 lbs.
 Built In Scale/ Printer
 Fork Size 27x45"
 Lowered Height: 3.2"
 Raised Height: 7.6"
 German Seal Pumps,
 Polyurethane Wheels



A25
Manual Pallet Jack

Load Capacity: 5,500 lbs.
 Fork Size 27x48",
 Lowered Height: 2.95"
 Raised Height: 7.5"
 German Seal Pumps,
 Polyurethane Wheels,
 Steel



A25S
Stainless Steel Manual Pallet Jack

Load Capacity: 5,500 lbs.
 Fork Size 27x48",
 Lowered Height: 2.95"
 Raised Height: 7.5"
 German Seal Pumps,
 Polyurethane Wheels,
 Stainless Steel



A25G
Galvanized Steel Manual Pallet Jack

Load Capacity: 5,500 lbs.
 Fork Size 27x48",
 Lowered Height: 2.95"
 Raised Height: 7.5"
 German Seal Pumps,
 Polyurethane Wheels,
 Galvanized Steel



EK20GT-Li / EK25GT-Li
4 Wheel Electric Forklift

Load Capacity: 4,000-5,000 lbs.
Lift Height: 185"
Side-Shift, Free Lift
Tilt, 4 Levers,
INMOTION Controller
AC Drive Motor
115V/125Ah Battery
3-Phase 480V Charger
(Optional 110V & 220V)



EK30GT-Li / EK35GT-Li / EK40GT-Li
4 Wheel Electric Forklift

Load Capacity: 6,000-8,500 lbs.
Lift Height: 185"
Side-Shift, Free Lift
Tilt, 4 Levers,
INMOTION Controller
AC Drive Motor
115V/125-230Ah Battery
3-Phase 480V Charger
(Optional 110V & 220V)



EK20G-Li
4 Wheel Electric Forklift

Load Capacity: 4,500 lbs.
Lift Height: 189"
Side-Shift, Free Lift
Tilt, 4 Levers,
ZAPI Controller
AC Drive Motor
80V/202Ah LI Battery
3-Phase 480V Charger
(Optional 110V & 220V)



EK25G-Li / E25G-212Li
4 Wheel Electric Forklift

Load Capacity: 5,000 lbs.
Lift Height: 189-212"
Side-Shift, Free Lift
Tilt, 4 Levers,
ZAPI Controller
AC Drive Motor
80V/202Ah LI Battery
3-Phase 480V Charger
(Optional 110V & 220V)



EK25T-Li / EK40T-Li
4 Wheel Electric Forklift

Load Capacity: 5,000-8,000 lbs.
Lift Height: 185"
Side-Shift, Free Lift,
Tilt, 4 Levers,
Inmotion Controller
AC Drive Motor
80V/202-230Ah LI Battery



EK18AT-185Li / EK18AT-212Li
3 Wheel Electric Forklift

Load Capacity: 4,000 lbs.
Lift Height: 185-212"
Side-Shift, Free Lift,
Tilt, 4 Levers,
Inmotion Controller
Dual AC Drive Motor
48V/202Ah LI Battery



EK16A-189Li / EK16A-216Li
3 Wheel Electric Forklift

Load Capacity: 3,500 lbs.
Lift Height: 189-216"
Side-Shift, Free Lift,
Tilt, EPS,
Zapi Controller
AC Drive Motor
24V/200Ah LI Battery



EK18R-196Li / EK18R-275Li / EK18R-300Li
Stand-Up Rider Reach Truck

Load Capacity: 4,000 lbs.
Lift Height: 210-300"
Side-Shift, Free Lift,
Tilt, AC Drive Motor
ZAPI Controller
48V/404Ah LI Battery



EK18RF-Li
Stand-Up Rider Forklift

Load Capacity: 4,000 lbs.
Lift Height: 216"
Side-Shift, Free Lift,
Tilt, AC Drive Motor
ZAPI Controller
48V/404Ah LI Battery



EOP70-Li
Order Picker

Load Capacity: 2,200 lbs.
Lift Height: 196"
Auxiliary Forks,
EPS, Curtis controller
AC Drive Motor
24V/150Ah LI Battery



EK14CS-130Li / EK14CS-189Li
Counterbalance Stacker

Load Capacity: 3,000 lbs.
Lift Height: 130-189"
Tilt, EPS, **Side-Shift**
German AC Motor
Curtis Controller
24V/150Ah LI Battery



EK14C-130Li
Counterbalance Stacker

Load Capacity: 3,000 lbs.
Lift Height: 130"
Tilt, EPS,
German AC Motor
Curtis Controller
24V/150Ah LI Battery



ER15-138Li / ER15-177Li / ER15-189Li / ER15-216Li
LI Walkie Reach Truck

Load Capacity: 3,300 lbs.
 Lift Height: 138-216"
Side-Shift,
 Free Lift, Tilt
 Curtis Controller
 AC Drive Motor
 24V/200Ah Charger



EK14S-130Li / EK14S-189Li
Counterbalance Stacker

Load Capacity: 3,300 lbs.
 Lift Height: 130-189"
 Tilt, EPS, **Side-Shift**
 German AC Motor
 Curtis Controller
 24V/150Ah LI Battery
 110V Plug-In Charger



EK14-130Li
Counterbalance Stacker

Load Capacity: 3,300 lbs.
 Lift Height: 130"
 Tilt, EPS,
 German AC Motor
 Curtis Controller
 24V/150Ah LI Battery
 110V Plug-In Charger



EB13C-98Li / EB13C-118Li / EB13C-138Li / EB13C-145Li
LI Walkie Straddle Stacker

Load Capacity: 2,800 lbs.
 Lift Height: 98-145"
 Curtis Controller
 DC Drive Motor
 Internal Charger
 24V/50Ah Battery



EB14C-98Li / EB14C-118Li / EB14C-138Li / EB14C-145Li
LI Walkie Straddle Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 98-145"
 Dual Damping Drive System
 Curtis Controller
 DC Drive Motor
 Internal Charger
 24V/50Ah Battery



EB18C-118Li / EB18C-138Li / EB18C-145Li
LI Walkie Straddle Stacker

Load Capacity: 4,000 lbs.
 Lift Height: 118-145"
 Curtis Controller
 DC Drive Motor
 Internal Charger
 24V/90Ah Battery



EB14CS-118Li / EB14CS-138Li / EB14CS-145Li
LI Walkie Straddle Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 118-145"
 Dual Damping Drive System
Side-Shift
 Curtis Controller
 DC Drive Motor
 24V/50Ah Battery
 Internal Charger




EB20CS-177Li / EB20CS-189Li / EB20CS-216Li
LI Walkie Straddle Stacker

Load Capacity: 4,400 lbs.
 Lift Height: 177-216"
Side-Shift, Free Lift
 Tilt, EPS
 Curtis Controller
 German AC Motor
 24V/50Ah Battery



EB16EAS-189Li
LI Walkie Straddle Stacker

Load Capacity: 4,400 lbs.
 Lift Height: 189"
 51.85" Free Lift
 EPS, **Side-Shift**, AC Drive Motor
 Curtis Controller
 24V/150Ah LI Battery



EB13E-119Li / 138Li / 145Li
LI Walkie Straddle Stacker

Load Capacity: 2,800 lbs.
 Lift Height: 119-145"
 24V Drive Motor
 Curtis Controller
 24V/50Ah LI Battery



EB13ES-119Li / 145Li
LI Walkie Straddle Stacker

Load Capacity: 2,800 lbs.
 Lift Height: 119-145"
Side-Shift
 24V Drive Motor
 Curtis Controller
 24V/50Ah LI Battery



EB12E-98Li
LI Walkie Straddle Stacker

Load Capacity: 2,640 lbs.
 Lift Height: 98"
 45" Forks,
 24V Drive Motor
 Curtis Controller
 24V/50Ah LI Battery
 Internal Charger



EP30A-Li
LI Rider Pallet Jack

Load Capacity: 6,600 lbs.
 Lowered Height: 3.26"
 Raised Height: 9.17"
 ZF AC Drive Motor,
 Curtis Controller,
 24V/202Ah LI Battery



EP18Li / EP20Li
LI Walkie Pallet Jack

Load Capacity: 4,000-4,400 lbs.
 27x48 Forks
 Lowered Height: 3.3"
 Raised Height: 7.7"
 24V Drive Motor,
 Curtis Controller,
 24V/40-60Ah LI Battery



EP20E-Li / EP25E-Li
LI Walkie Pallet Jack

Load Capacity: 4,400-5,500 lbs.
 27x48 Forks
 Lowered Height: 3.3"
 Raised Height: 7.9"
 DC Drive Motor
 24V/100-150Ah Battery



EPC18Li / EPC20Li / EPC25Li
LI Pallet Jack

Load Capacity: 4,000-5,000 lbs.
 27x45 Forks
 Lowered Height: 3.3"
 Raised Height: 7.68"
 DC Drive Motor
 On-Board Charger
 48V/10Ah, 48V/20Ah, 48V/30Ah
 Removable Battery



EPT18Li / EPT20Li
LI Pallet Jack

Load Capacity: 4,000-4,400 lbs.
 27x45 Forks
 Lowered Height: 3.35"
 Raised Height: 7.68"
 DC Drive Motor
 24V/30Ah and 48V/20Ah LI Battery
 On-Board Charger



EP18JLIC/ EP20JLIC
LI Walkie Pallet Jack

Load Capacity: 4,000-4,400 lbs.
 27x45 Forks
 Lowered Height: 2.95"
 Raised Height: 7.48"
 24V Drive Motor,
 Curtis Controller,
 24V/40Ah and 48V/20Ah LI Battery



EP15JLi / EP18JLi / EP18JNLI / EP20JLi
LI Walkie Pallet Jack

Load Capacity: 3,300-4,400 lbs.
 27(22)x45 Forks
 Lowered Height: 3.35"
 Raised Height: 7.87"
 Pinwheel Capability
 Polyurethane Wheels
 24V/30Ah and 48V/20Ah LI Battery



EPF15Li / EPF18Li / EPF20Li
LI Walkie Pallet Jack

Load Capacity: 3,300-4,400 lbs.
 27x45 Forks
 Lowered Height: 3.3"
 Raised Height: 7.87"
 24V Drive Motor,
 Curtis Controller,
 24V/30-40Ah and 48V/30Ah LI Battery



EP15SLi / EP18SLi
LI Semi Electric Walkie Pallet Jack

Load Capacity: 3,300-4,000 lbs.
 27x45 Forks
 Lowered Height: 3.3"
 Raised Height: 7.87"
 Powered Drive,
 Curtis Controller,
 24V/30-40Ah LI Battery



ES40E-Li / ES60E-Li / ES80E-Li / ES100E-Li / ES120E-Li
LI Powered Scissor Lift

Load Capacity: 500-990 lbs.
 Lift Height: 13ft-19ft
 Lowered Height: 77-102.36"
 Steel Construction
 Internal Charger
 GB25849 and EN280 Compliance Standards



Why Choose Lithium?

Lithium batteries have 4x the energy density of lead acid batteries giving you the ability to deep-cycle repeatedly without damage.

Lithium batteries can charge up to 5x faster!

EK20TLP / EK25TLP
LPG Forklift

Load Capacity: 4,000-5,000 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 PSI 2.4L Engine
 Solid Pneumatic Tires



EK30TLP / EK35TLP / EK40TLP
LPG Forklift

Load Capacity: 6,000-8,500 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 PSI 2.4L Engine
 Solid Pneumatic Tires



EK20D / EK25D / EK30D /
EK35D / EK40D
Diesel Forklift

Load Capacity: 4,000-8,500 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 Mitsubishi 4EG
 Solid Pneumatic Tires



EK25CLP
LPG Forklift

Load Capacity: 5,000 lbs.
 Lift Height: 189"
 Free Lift, **Side-Shift**, Tilt
 PSI Engine
 Smooth Cushion Tires



EK25SLP / EK30SLP
LPG Forklift

Load Capacity: 5,000 lbs.
 Lift Height: 189"
 Free Lift, **Side-Shift**, Tilt
 PSI Engine
 Pattern Cushion Tires



EK30LP / EK35LP
LPG Forklift

Load Capacity 6,000-7,000 lbs.
 Lift Height: 189"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Solid Pneumatic Tires



EK50LP
LPG Forklift

Load Capacity: 10,000 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Pattern Cushion Tires



EK30LP-RT / EK35LP-RT
Diesel Rough Terrain Forklift

Load Capacity: 6,000-7,000 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Solid Pneumatic Tires

