

# EKKO<sup>®</sup>

MATERIAL HANDLING EQUIPMENT.

MOVING **AHEAD**

# LITHIUM WALKIE STRADDLE STACKER EB16EAS-189Li

- 4400 lbs. Capacity
- 189 in. Lift Height
- **SIDE-SHIFT**
- Free Lift 51.85 In.
- EPS (Electric Power Steering)
- 24V Center AC Drive Motor
- Turning Radius 68.5"
- Works in a 8.5 ft aisle
- Adjustable Legs 38.06-51.81 in.
- Adjustable Forks 8.27-31.5 in.
- Curtis Instrument Controller
- Batteries and Charger Included
- 3 Year Limited Warranty



## EB16EAS-189Li

**Superior quality, maneuverable, compact, and durable for all your material handling applications. Ideal for compact spaces.**

**WEIGHT CAPACITY:** 4400 lbs. @ 24" load center

**LIFT HEIGHT:** 189" (15.75 ft.)

**FREE LIFT:** 51.85"

**FORK LENGTH:** 45.3"

**ADJUSTABLE OUTRIGGERS:** 38.06-51.81"

**ADJUSTABLE FORKS:** 8.27-31.5"

**MAST HEIGHT:** 88.86"

**TURNING RADIUS:** 68.5"

**BATTERY / CHARGER:** Lithium 24V-150Ah Battery with 24V-50A Charger

**SIDE-SHIFT:** 4.7"

**LIFTING SPEED:** : 5.35 IPS empty; 3.6 IPS loaded

**LOWERING SPEED:** 3.85 IPS empty; 4.4 IPS loaded

**DRIVE WHEELS:** : 9" x 3" polyurethane

**LOAD WHEELS:** (2) 4" x 3" polyurethane per outrigger

**EPS (Electric Power Steering)**

**HYDRAULICS LIFTING MOTOR:** 24V 3000-Watt lifting motor with hardened chrome moly steel for durability.

**DRIVE MOTOR:** 24V AC Drive Motor


**AC CONTROLLER:** 24V CURTIS Instrument provides performance through entire range of speed; Constant travel speed regardless of load; Battery discharge indicator combination gauge.

**OPERATOR CONTROLS:** Throttle, lifting, lowering, turtle mode and horn functions are in the ergonomic handle; Offset steering handle to provide better visibility; Belly button reverse safety feature allows the unit to stop and reverse to avoid collision or injury.

**CHASSIS AND MAST:** Robotic Welding; Heavy duty steel chassis with I-beam mast for durability; Telescoping mast includes a protective steel guard.



# LITHIUM STRADDLE STACKER **EKKO**®



MODEL #	MAST	LIFT HEIGHT	MAX MAST HEIGHT	SERVICE WEIGHT
EB16EAS-189Li	88.86"	189"	227"	3520 Lbs.