

# EKKO

MATERIAL HANDLING EQUIPMENT

**MOVING AHEAD**

# Lithium Order Picker

## EOP150-LI Series



- 1,500 lbs. Capacity
- 165 | 216 in. Lift Height
- Electronic Power Steering (EPS)
- AC Drive Motor
- Adjustable Forks
- Polyurethane Tires
- Curtis® Controller
- 24V/200Ah Lithium Battery
- 24V / 50Ah Charger
- Batteries & Charger Included
- 3-Year Limited Warranty

[www.ekkolifts.com](http://www.ekkolifts.com)

**Superior quality, maneuverable, compact, and durable for all your material handling applications.**

**WEIGHT CAPACITY:** 1,550 lbs. @ 20" load center

**LIFT HEIGHT:** 165" | 216"

**TURNING RADIUS:** 57"

**BATTERY:** 24V/200Ah

**BATTERY REPLACEMENT METHOD:** Hoist-Lift Type

**CHARGER:** 24V/50Ah

**SPEED TRAVEL:** up to 3.10 mph

**DRIVE WHEELS:** polyurethane

**OVERHEAD GUARD HEIGHT:** 76"

**HANDLE HEIGHT:** 46"

**FORK LOWERED HEIGHT:** 2.2"

**Drive Motor/Lift Motor Power:** 1.5KW / 3KW

**LOAD WHEELS:** (2) 4" x 3" polyurethane per outrigger

**HYDRAULICS LIFTING MOTOR:** 24V 2200 Watt lifting motor with hardened chrome moly steel for durability.

**OPERATION TYPE:** Standing


**DRIVE MOTOR:** AC drive motor for efficiency and high torque.

**AC CONTROLLER:** 24V CURTIS Instrument provides performance through entire range of speed; Constant travel speed regardless of load; Battery discharge indicator combination gauge.

**CHASSIS WIDTH:** 32 x 37"

**BRAKES:** Electro-magnetic braking for secure stopping power; Electronic neutral braking for accurate control.

# Lithium Order Picker



MODEL #	Capacity	LIFT HEIGHT	Charger	Battery
EOP150-165Li	1500	165"	24V/50Ah	24V/200Ah Lithium
EOP150-216Li	1500	216"	24V/50Ah	24V/200Ah Lithium