

EKKO[®]

MATERIAL HANDLING EQUIPMENT

**MOVING
AHEAD**



www.ekkolifts.com

EK25GB
4 Wheel Electric Forklift

Load Capacity: 5,000 lbs.
 Lift Height: 189-212"
Side-Shift, Free Lift Tilt,
 4 Levers, ZAPI Controller
 AC Drive Motor
 48V/600Ah Charger
 3-Phase 480V Charger
 (Optional 220V)



EK16A-138 / EK16A-177
3 Wheel Electric Forklift

Load Capacity: 3,500 lbs.
 Lift Height: 138-177"
Side-Shift, Free Lift Tilt,
 Hydraulic Power Steering
 Zapi Controller
 German AC Motor
 24V/320 Ah Battery
 24V/50A Charger



EK18RR / EK18RR-335
Stand-Up Rider Reach

Load Capacity: 4,000 lbs. Lift
 Height: 275" | 335"
Side-Shift, Free Lift Tilt, EPS,
 Curtis Controller
 AC Motor
 48V/420Ah Battery
 3-Phase 480V Charger



EK18RF / EK18RFL
Stand-Up Rider Forklift

Load Capacity: 4,000 lbs.
 Lift Height: 216" | 189"
Side-Shift, Free Lift Tilt, EPS
 Curtis Controller German AC
 Motor 48V/420Ah Battery
 3-Phase 480V Charger



EK18RRL
Stand-Up Rider Reach

Load Capacity: 4,000 lbs. Lift
 Height: 196"
Side-Shift, Free Lift Tilt, EPS,
 Curtis Controller
 AC Motor
 48V/420Ah Battery
 3-Phase 480V Charger



EOP70
Stand-Up Rider Reach

Load Capacity: 2,200 lbs.
 Lift Height: 196"
 Auxiliary Forks EPS,
 Curtis Controller
 German AC Motor
 24V/350Ah Battery



EH15TH / EH15T
Moving Mast Reach

Load Capacity: 3,300 lbs.
 Lift Height: 138-216"
 Free Lift, Tilt,
 EPS Curtis Controller
 German AC Motor
 24V-270Ah



EK14S-130 / EK13S-177
Counterbalanced Stacker

Load Capacity: 2,860-3,300 lbs.
 Lift Height: 118-177"
Side-Shift, Free Lift,
 Tilt, EPS,
 Curtis Controller
 German AC Motor
 24V-210Ah Battery



EK14 / EK14-130 / EK14-138
Counterbalanced Stacker

Load Capacity: 3,300 lbs.
 Lift Height: 118-138"
 Free Lift, Tilt, EPS
 Curtis Controller
 German AC Motor
 24V-210Ah Battery



EK07S
Counterbalanced Stacker

Load Capacity: 1,550 lbs.
 Lift Height: 118"
 Free Lift, Tilt,
 Curtis Controller
 750W Drive Motor
 24V-120Ah Battery



EK14C-130
Counterbalanced Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 130"
 Tilt, EPS,
 Curtis Controller
 German AC Motor
 24V-210Ah Battery



EB16EA
Walkie Straddle Stacker

Load Capacity: 4,400 lbs.
 Lift Height: 216"
 Free Lift, Tilt, EPS,
 Curtis Controller
 German AC Motor
 24V-210Ah Battery



**EA15A / EA15A-138 Semi-Electric
 Walkie Straddle Stacker**

Load Capacity: 3,300 lbs.
 Lift Height: 118-138"
 Power Lifting Manual
 Drive 12V/120Ah
 Battery Internal Charger



**EB13C-118 / EB13C-138
 Walkie Straddle Stacker**

Load Capacity: 2,800 lbs.
 Lift Height: 118-138"
 Curtis Instrument
 Controller DC Drive
 Motor 24V/85Ah Battery
 Internal Charger



**EB13CD
 Fork Over Stacker**

Load Capacity: 2,800 lbs.
 Lift Height: 118" Fork
 Length 45.28" 24V Lift
 Motor 24V/85Ah Battery



**EB14C / EB14C-138
 Walkie Straddle Stacker**

Load Capacity: 3,000 lbs.
 Lift Height: 118-138"
 Dual Damping Drive
 System Curtis Controller
 Center Drive Motor,
 Internal Charger
 24V/85Ah Battery



**EB12EA
 Walkie Straddle Stacker**

Load Capacity: 3,000 lbs.
 Lift Height: 145"
 Curtis Controller
 1500W ZF AC Drive
 Motor, 24V/100Ah
 Battery Internal Charger



**EB13E / EB13E-138
 Walkie Straddle Stacker**

Load Capacity: 2,800 lbs.
 Lift Height: 119-138"
 Curtis Controller Center
 Drive Motor,
 Internal Charger
 24V/100Ah Battery




**EB20E / EB18E
 Walkie Straddle Stacker**

Load Capacity: 4,000-4,400 lbs.
 Lift Height: 138-177"
 Curtis Controller
 750W AC Drive Motor,
 External Charger,
 24V/160-210Ah Battery



**EB12E / EB12E-138
 Walkie Straddle Stacker**

Load Capacity: 2,640 lbs.
 Lift Height: 119-138"
 Curtis Controller 750W
 Drive Motor,
 Internal Charger
 24V/100Ah Battery



**EA15B / EA15D Semi-Electric
 Straddle Stacker**

Load Capacity: 3,300 lbs.
 Lift Height: 119-138"
 Power Lift,
 Manual Drive,
 Internal Charger
 12V/120Ah Battery



**EA15C / EA15E
 Fork Over Stacker**

Load Capacity: 3300 lbs.
 Lift Height: 119-138"
 Forks over straddle legs,
 Power Lift, Manual Drive,
 Internal Charger
 12V/120Ah Battery



**EOPS20-130 / EOPS20-157 /
 EOPS20-177
 Semi-Electric Order Picker**

Load Capacity: 440 lbs.
 Lift Height: 130-177"
 Safety Brackets
 Emergency Stop/Down
 Button Internal Charger
 12V/120Ah Battery



**ES40E / ES60E / ES80E
 ES100E / ES120E
 Scissor Lift**

Load Capacity: 500-990 lbs.
 Raised Height: 13ft-19ft,
 Lowered Height: 86-
 102.36" Guardrail,
 Extendable Platform



EPC30A
Center Controlled Pallet Jack

Load Capacity: 5,000 lbs.
 Lowered Height: 3.3"
 Raised Height: 7.88"
 27x45" Forks
 Curtis Controller,
 German AC Motor,
 24V/360Ah Battery



EP30A
Rider Pallet Jack

Load Capacity: 6,600 lbs.
 Lowered Height: 3.3"
 Raised Height: 7.88"
 27x45" Forks
 Curtis Controller,
 German AC Motor,
 24V/280Ah Battery



EP20E / EP25E
Rider Pallet Jack

Load Capacity: 4,400-5,500 lbs.
 Lowered Height: 3.3"
 Raised Height: 7.9"
 27x45" Forks
 Curtis Controller,
 German AC Motor,
 24V/160-240Ah Battery



EG30
Electric Tow Tractor

Load Capacity: 10,000 lbs.
 Electric Power Steering,
 Curtis Controller,
 German AC Motor,
 24V/210Ah Battery



A25W
Manual Pallet Jack w/Scale

Load Capacity: 5,500 lbs.
 Built In Scale
 Fork Size 27x45"
 Lowered Height: 3.2"
 Raised Height: 7.6"
 German Seal Pumps,
 Polyurethane Wheels



A25WL
Manual Pallet Jack w/ Scale & Printer

Load Capacity: 5,500 lbs.
 Built In Scale/ Printer
 Fork Size 27x45"
 Lowered Height: 3.2"
 Raised Height: 7.6"
 German Seal Pumps,
 Polyurethane Wheels



A25
Manual Pallet Jack

Load Capacity: 5,500 lbs.
 Fork Size 27x48",
 Lowered Height: 2.95"
 Raised Height: 7.5"
 German Seal Pumps,
 Polyurethane Wheels,
 Steel



A25S
Stainless Steel Manual Pallet Jack

Load Capacity: 5,500 lbs.
 Fork Size 27x48",
 Lowered Height: 2.95"
 Raised Height: 7.5"
 German Seal Pumps,
 Polyurethane Wheels,
 Stainless Steel



A25G
Galvanized Steel Manual Pallet Jack

Load Capacity: 5,500 lbs.
 Fork Size 27x48",
 Lowered Height: 2.95"
 Raised Height: 7.5"
 German Seal Pumps,
 Polyurethane Wheels,
 Galvanized Steel



EK20GT-Li / EK25GT-Li / EK25GT-216Li
4 Wheel Lithium Forklift

Load Capacity: 4,000-5,000 lbs.
 Lift Height: 185" **Side-Shift**,
 Free Lift Tilt, 4 Levers,
 INMOTION Controller
 AC Drive Motor
 80V/205Ah Li Battery
 3-Phase 480V Charger
 (Optional 110V & 220V)



EK30GT-Li / EK35GT-Li / EK40GT-Li
4 Wheel Lithium Forklift

Load Capacity: 6,000-7,000 lbs.
 Lift Height: 185" **Side-Shift**,
 Free Lift Tilt, 4 Levers,
 INMOTION Controller
 AC Drive Motor
 80V/280Ah Li Battery
 3-Phase 480V Charger
 (Optional 110V & 220V)



EK25T-Li / EK40T-Li
4 Wheel Lithium Forklift

Load Capacity: 5,000-8,000 lbs.
 Lift Height: 185"
Side-Shift, Free Lift,
 Tilt, 4 Levers,
 Inmotion Controller
 AC Drive Motor
 80V/202-230Ah Li Battery



EK18AT-185Li / EK18AT-212Li
3 Wheel Lithium Forklift

Load Capacity: 4,000 lbs.
 Lift Height: 185-212"
Side-Shift, Free Lift, Tilt,
 4 Levers, Inmotion
 Controller Dual AC Drive
 Motor 48V/202Ah Li
 Battery



EK16A-189Li / EK16A-216Li
3 Wheel Lithium Forklift

Load Capacity: 3,500 lbs.
 Lift Height: 189-216"
Side-Shift, Free Lift, Tilt,
 EPS, Zapi Controller
 AC Drive Motor
 24V/200Ah Li Battery



EK18RR-196Li / EK18RR-275Li / EK18RR-335Li
Stand-up Rider Forklift

Load Capacity: 4,000 lbs. Lift
 Height: 196" | 275" | 335"
Side-Shift, Free Lift,
 Tilt, AC Drive Motor,
 ZAPI Controller
 48V/404Ah Li Battery



EK14CS-130Li / EK14CS-189Li
Counterbalance Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 130-189"
 Tilt, EPS, **Side-Shift**
 German AC Motor
 Curtis Controller
 24V/150Ah Li Battery



EK14C-130Li
Counterbalance Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 130"
 Tilt, EPS,
 German AC Motor
 Curtis Controller
 24V/150Ah Li Battery



EK18RF-Li / EK18RF-275Li
Stand-Up Rider Forklift

Load Capacity: 4,000 lbs.
 Lift Height: 216" | 275"
Side-Shift, Free Lift,
 Tilt, AC Drive Motor
 ZAPI Controller
 48V/350Ah Li Battery



EOP70-Li
Order Picker

Load Capacity: 2,200 lbs.
 Lift Height: 196"
 Auxiliary Forks, EPS,
 Curtis controller
 AC Drive Motor
 24V/150Ah Li Battery



Why Choose Lithium?

Lithium batteries have 4x the energy density of lead acid batteries giving you the ability to deep-cycle repeatedly without damage.

Lithium batteries can charge up to 5x faster!

ER15-138Li / ER15-177Li / ER15-189Li / ER15-216Li

Lithium Walkie Reach Truck

Load Capacity: 3,300 lbs.
 Lift Height: 138-216"
Side-Shift, Free Lift, Tilt
 Curtis Controller AC
 Drive Motor 24V/200Ah
 Charger



EK14S-130Li / EK14S-189Li / EK14-130Li (no sideshift)

Counterbalance Stacker

Load Capacity: 3,300 lbs.
 Lift Height: 130-189" Tilt,
 EPS, **Side-Shift** German
 AC Motor Curtis
 Controller 24V/150Ah LI
 Battery 110V Plug-In
 Charger



EK10S-118Li / EK10S-138Li

Counterbalance Stacker

Load Capacity: 2200 lbs.
 Lift Height: 118 in / 138 in
 Overall Length: 99 in.
 Forks: 42 in.
 Curtis Controller
 Lithium Battery Included
 Charger Included



EB13C-98Li / EB13C-118Li / EB13C-138Li / EB13C-145Li

Lithium Walkie Straddle Stacker

Load Capacity: 2,800 lbs.
 Lift Height: 98-145"
 Curtis Controller DC
 Drive Motor Internal
 Charger 24V/50Ah
 Battery



EB14C-98Li / EB14C-118Li / EB14C-138Li / EB14C-145Li

Lithium Walkie Straddle Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 98-145" Dual
 Damping Drive System
 Curtis Controller DC
 Drive Motor Internal
 Charger 24V/50Ah
 Battery



EB18C-118Li / EB18C-138Li / EB18C-145Li

Lithium Walkie Straddle Stacker

Load Capacity: 4,000 lbs.
 Lift Height: 118-145"
 Curtis Controller DC
 Drive Motor Internal
 Charger 24V/90Ah
 Battery



EB14CS-118Li / EB14CS-138Li / EB14CS-145Li

Lithium Walkie Straddle Stacker

Load Capacity: 3,000 lbs.
 Lift Height: 118-145"
 Dual Damping Drive
 System **Side-Shift** Curtis
 Controller DC Drive
 Motor
 24V/50Ah Battery
 Internal Charger



EB20CS-177Li / EB20CS-189Li / EB20CS-216Li

Lithium Walkie Straddle Stacker

Load Capacity: 4,400 lbs.
 Lift Height: 177-216"
Side-Shift, Free Lift Tilt,
 EPS Curtis Controller
 German AC Motor
 24V/50Ah Battery



EB16EAS-189Li

Lithium Walkie Straddle Stacker


Load Capacity: 4,400 lbs.
 Lift Height: 189" 51.85"
 Free Lift EPS, **Side-Shift**,
 AC Drive Motor Curtis
 Controller 24V/150Ah
 Lithium Battery



EB13E-119Li / 138Li / 145Li

Lithium Walkie Straddle Stacker


Load Capacity: 2,800 lbs.
 Lift Height: 119-145"
 24V Drive Motor Curtis
 Controller 24V/50Ah LI
 Battery



EB13ES-119Li / 145Li

Lithium Walkie Straddle Stacker

Load Capacity: 2,800 lbs.
 Lift Height: 119-145"
Side-Shift 24V Drive
 Motor Curtis Controller
 24V/50Ah LI Battery



EB12E-98Li

Lithium Walkie Straddle Stacker

Load Capacity: 2,640 lbs.
 Lift Height: 98" 45"
 Forks, 24V Drive Motor
 Curtis Controller
 24V/50Ah LI Battery
 Internal Charger



EP30A-Li
Lithium Rider Pallet Jack

Load Capacity: 6,600 lbs.
 Lowered Height: 3.26"
 Raised Height: 9.17"
 ZF AC Drive Motor,
 Curtis Controller,
 24V/202Ah Li Battery



EP18Li / EP20Li
Lithium Walkie Pallet Jack

Load Capacity: 4,000-4,400 lbs.
 Lowered Height: 3.3"
 Raised Height: 7.7"
 27x48 Forks,
 24V Drive Motor,
 Curtis Controller,
 24V/40-60Ah Li Battery



EP20E-Li / EP25E-Li
Lithium Walkie Pallet Jack

Load Capacity: 4,400-5,500 lbs.
 27x48 Forks Lowered Height:
 3.3" Raised Height: 7.9" DC
 Drive Motor 24V/100-150Ah
 Battery



EP18Li / EP20Li / EP25Li
Lithium Pallet Jack

Load Capacity: 4,000-5,000 lbs.
 27x45 Forks Lowered Height:
 3.3" Raised Height: 7.68" DC
 Drive Motor On-Board Charger
 48V/10Ah,
 48V/20Ah, 48V/30Ah
 Removable Battery



EP15SLi / EP18SLi
Lithium Walkie Pallet Jack

Load Capacity: 3,300-4,000 lbs.
 27x45 Forks Lowered Height:
 3.3" Raised Height: 7.87"
 Powered Drive, Curtis
 Controller, 24V/30-40Ah Li
 Battery



EP18JLIC/ EP20JLIC
Lithium Walkie Pallet Jack

Load Capacity: 4,000-4,400 lbs.
 27x45 Forks Lowered Height:
 2.95" Raised Height: 7.48" 24V
 Drive Motor, Curtis Controller,
 24V/40Ah and 48V/20Ah Li
 Battery



EP15JLi / EP18JLi / EP20JLi / EP18JNLi / EP20JNLi
Lithium Walkie Pallet Jack

Load Capacity: 3,300-4,400 lbs.
 27(22)x45 Forks Lowered
 Height: 3.35" Raised Height:
 7.87" Pinwheel Capability
 Polyurethane Wheels
 24V/30Ah and 48V/20Ah Li
 Battery



EPF15Li / EPF18Li / EPF20Li
Lithium Walkie Pallet Jack

Load Capacity: 3,300-4,400
 lbs. 27x45 Forks Lowered
 Height: 3.3" Raised Height:
 7.87" 24V Drive Motor,
 Curtis Controller,
 24V/30-40Ah and 48V/30Ah
 Li Battery



ES40E-Li / ES60E-Li / ES80E-Li / ES100E-Li / ES120E-Li
Lithium Scissor Lift

Load Capacity: 500-990 Lbs.
 Lift Height: 13ft-19ft
 Lowered Height: 77-102.36"
 Steel Construction
 Internal Charger
 GB25849 and EN280
 Compliance Standards



EOP150-165Li / EOP150-216Li
Lithium Order Picker

Load Capacity: 1,500 lbs.
 Lift Height: 165" | 216"
 Adjustable Forks
 EPS, Curtis Controller
 AC Drive Motor
 24V/200Ah Li Battery



EOPL150-165Li / EOPL150-216Li
Lithium Order Picker

Load Capacity: 1,500 lbs.
 Lift Height: 165" | 216"
 Adjustable Forks
 EPS, Curtis Controller
 AC Drive Motor
 24V/200Ah Li Battery



EOP22-165Li / EOP22-216Li
Lithium Order Picker

Load Capacity: 220 lbs.
 Lift Height: 165" | 216"
 EPS, Curtis Controller
 AC Drive Motor
 24V/200Ah Li Battery



EK20TLP / EK25TLP
LPG Forklift

Load Capacity: 4,000-5,000 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 PSI 2.4L Engine
 Solid Pneumatic Tires



EK30TLP / EK35TLP / EK40TLP
LPG Forklift

Load Capacity: 6,000-8,500 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 PSI 2.4L Engine
 Solid Pneumatic Tires



EK20D / EK25D / EK30D / EK35D / EK40D
Diesel Forklift

Load Capacity: 4,000-8,500 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 Mitsubishi 4EG
 Solid Pneumatic Tires



EK25CLP
LPG Forklift

Load Capacity: 5,000 lbs.
 Lift Height: 189"
 Free Lift, **Side-Shift**, Tilt
 PSI Engine
 Smooth Cushion Tires



EK25SLP / EK30SLP
LPG Forklift

Load Capacity: 5,000 lbs.
 Lift Height: 189"
 Free Lift, **Side-Shift**, Tilt
 PSI Engine
 Pattern Cushion Tires



EK30LP / EK35LP
LPG Forklift

Load Capacity 6,000-7,000 lbs.
 Lift Height: 189"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Solid Pneumatic Tires



EK50LP
LPG Forklift

Load Capacity: 10,000 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Pattern Cushion Tires



EK30LP-RT / EK35LP-RT
Diesel Rough Terrain Forklift

Load Capacity: 6,000-7,000 lbs.
 Lift Height: 185"
 Free Lift, **Side-Shift**, Tilt
 Kubota Engine
 Solid Pneumatic Tires

